



### PRIORITY DOCUMENT SUBMITTED OR TRANSMITTED IN COMPLIANCE WITH

RULE 17.1(a) OR (b)

INVESTOR IN PEOPLE

The Patent Office Concept House Cardiff Road Newport South Wales

NP10 8QQ REC'D 2 7 AUG 2004

WIPO

PCT

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

I also certify that the application is now proceeding in the name as identified herein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before reregistration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed

Will Treat to a copy

19 August 2004 Dated







### GB0317466.1

By virtue of a direction given under Section 30 of the Patents Act 1977, the application is proceeding in the name of

THE UNIVERSITY OF SHEFFIELD, Incorporated in the United Kingdom, Western Bank, SHEFFIELD, S10 2TN, United Kingdom

[ADP No. 00773812002]

THE PATENT OFFICE
Patents Form 1/77 CR

Patents Acc 1977 2 5 JUL 2003
RECEIVED BY FAX



25JUL03 E825462-1 002973 P01/7700 0.00-0317466.1

Request for grant of a patent

(See the notes on the back of this form. You can also get un explanatory leafles from the Patent Office to help you till in this form)

b) there is an inventor who is not pamed as an applicant, or
 c) any named applicant is a corporate body.

See note (d))

The Patent Office

Cardiff Road Newport South Wales NP9 1RH

			Mrs inn
1.	Your reference	MON/P103083GB	
2.	Patent application number (The Patent Office will fill in this part)	0317466 ALD: 2	27/04 25 JUL 21
<b>.</b>	Full name, address and postcode of the or of each applicant (underline all surnames)	THE UNIVERSITY OF SHEEP ELD, Western Bank, SHEEF ELD, S10 2TN	3812002
	If the applicant is a corporate body, give the	THE UNIVERSITY OF NEWCASTLE. 6 Kertsington Terrace, NEWCASTLE-UPON-TYNE, NE1 7RU	1916 2001
<b>4.</b>	Title of the invention	Use ·	
	~ <u>.</u>		
5.	Name of your agent (if you have one)	Harrison Goddard Foote	
	"Address for service" in the United Kingdom to which all correspondence should be sent (Including the postcode)	31 St Saviourgate YORK YO1 8NQ	
	Patents ADP number (if you know it)	07914237002	
6.	If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the oreach application number	(If you know ti)	Date of filing (day / month / year)
7.	If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application	Number of earlier application	Date of filing (day / month / year)
8.	Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer Yes' IE		

Patents Form 1/77

#### Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form

Description

Claim (s)

Abstract

Drawing (6)

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Parents Form 7/77)

Request for preliminary examination and search (Panenes Form 9/77)

Request for substantive examination (Patente Form 10/77)

> Any other documents (please specify)

11.

I/We request the grant of a patent on the basis of this application.

Date 25 July 2003

12. Name and daytime telephone number of person to contact in the United Kingdom

Michelle O'Neill

01904 732120

#### Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting waitten permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

- a) If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- b) Write your answers in capital letters using black ink or you may type them.
- c) If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- d) If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- e) Once you have filled in the form you must remember to sign and date it.
- f) For details of the fee and ways to pay please contact the Patent Office.

Patents Form 1/77

10

15

#### USE

This invention relates to the use of an agent that inhibits the activity of an enzyme which mediates repair of single strand breaks in DNA in the treatment of certain forms of cancer in particular breast cancer.

Homologous recombination (HR) has been shown to play an important role in repair of damage occurring at DNA replication forks in mammalian cells (2). Thus, cells deficient in HR show retarded growth and exhibit higher level of genetic instability. It is believed that genetic instability due to loss of HR repair in human cancers significantly contributes to the development of cancer in these cells (1).

Post transcriptional modification of nuclear proteins by poly(ADP-ribosyl)ation (PARP) in response to DNA strand breaks plays an important role in DNA repair, regulation of apoptosis, and maintenance of genomic stability.

Poly(ADP-ribose) Polymerase (PARP-1) is an abundant nuclear protein in mammalian cells that catalyses the formation of poly(ADP-ribose) (PAR) polymers using NAD<sup>+</sup> as substrate. Upon DNA damage, PARP-1 binds rapidly to a DNA single-strand break (SSB) and catalyses the addition of negatively charged PAR chains to itself (automodification) and other proteins (see (3, 4) for reviews). The binding of PARP-1 to SSBs is believed to proteot DNA lesions from further processing until PARP-1 is dissociated from the break by the accumulated negative charge resulting from PAR polymers (5,6).

25

30

20

Although PARP-1 has been implicated in several nuclear processes, such as modulation of chromatin structure, DNA replication, DNA repair and transcription, PARP-1 knockout mice develop normally (7). Cells isolated from these mice exhibit a hyper recombination phenotype and genetic instability in the form of increased levels of SCE, micronuclei and tetraploidy (8-10). Genetic instability may also occur in these PARP-1 knockout mice through telomere shortening, increased frequency of chromosome fusion and aneuploidy (11), although all of these results could not be repeated in another set of PARP-1 knock-out mice (12). In the former mice knockout, PARP-1 null mutation rescue impaired V(D)J recombination in SCID mice (13).

These results support the view suggested by Lindahl and coworkers that PARP-1 has a protective role against recombination (5). They proposed that binding of PARP-1 to ssDNA breaks prevents the recombination machinery from recognizing and processing DNA lesions or, alternatively, that the negative charges accumulated following poly ADP-ribosylation repel adjacent recombinagenic DNA sequences. Only the latter model is consistent with inhibition of PARP-1 itself and expression of a dominant negative mutant PARP-1, inducing SCE, gene amplification and homologous recombination (HR [14-18]).

- Studies based on treating cells with inhibitors of PARP-1 or cells derived from PARP-1 knockout mice indicate that the suppression of PARP-1 activity increases cell susceptibility to DNA damaging agents and inhibits strand break rejoining (3, 4, 8-11, 19, 20).
- Inhibitors of PARP-1 activity have been used in combination with traditional anticancer agents such as radio therapy and chemotherapy (21). The inhibitors were used in combination with methylating agents, topoisomerase poisons and ionising radiations and were found to enhance the effectiveness of these forms of treatment. Such treatments, however, are known to cause damage and death to non cancerous or "healthy" cells and are associated with unpleasant side effects.

There is therefore a need for a treatment for cancer that is both effective and selective in the killing of cancer cells and which does not need to be administered in combination with radio or chemotherapy treatments.

- The present inventors have surprisingly found that cells deficient in homologous recombination (HR) are hypersensitive to inhibitors of PARP-1 as compared to wild type cells. This is surprising since PARP-1 knockout mice live normally.
- According to a first aspect of the invention there is provided the use of an agent which inhibits the activity of an enzyme which mediates repair of single strand breaks in DNA in the manufacture of a medicament for the treatment of diseases/conditions which are caused by a genetic defect in a gene which mediates homologous recombination.

20

30

In a further aspect the invention provides a method of treatment of a disease or condition in a mammal, including human, which is caused by a genetic defect in a gene which mediates homologous recombination, which method comprises administering to the mammal a therapeutically effective amount of an agent which inhibits the activity of an enzyme which mediates repair of single strand breaks in DNA.

In a preferred aspect said enzyme is PARP. In a further preferred aspect said agent is a PARP inhibitor or an RNAi molecule specific to PARP gene.

In a further preferred aspect, the use is in the treatment of cancer wherein the cancer is caused by a genetic defect in a gene which mediates homologous recombination.

15 Preferably the medicament is a pharmaceutical composition consisting of the PARP inhibitor in combination with a pharmaceutically acceptable carrier or diluent.

The specific sensitivity of HR tumours to PARP-1 inhibition means that normally dividing cells in the patient will be unaffected by the treatment. Treatment of HR defective cancer cells using a PARP inhibitor also has the advantage that it does not need to be administered as a combination therapy along with conventional radio or chemotherapy treatments thereby avoiding the side effects associated with these conventional forms of treatment.

A genetic defect in a gene which mediates homologous recombination may be due to a mutation in, the absence of, or defective expression of, a gene encoding a protein involved in HR.

In a further aspect, the invention further provides the use of a PARP inhibitor in the manufacture of a medicament for inducing apoptosis in HR defective cells.

In another aspect the invention provides a method of inducing apoptosis in HR defective cells in a mammal which method comprises administering to the mammal a therapeutically effective amount of a PARP inhibitor. By causing apoptosis in HR

20

25

30

defective cells it should be possible to reduce or halt the growth of a tumour in the mammal.

Preferably, the HR defective cells are cancer cells.

Cancer cells defective in HR may partially or totally deficient in HR. Preferably the cancer cells are totally deficient in HR.

The term "cancer" or "turnour" includes cancer of the lung, colon, pancreatic, gastric, ovarian, cervical, breast or prostate cancer. In a preferred aspect, the cancer is in a mammal, preferably human.

The cancer to be treated may be an inherited form of cancer wherein the patient to be treated has a familial predisposition to the cancer. Preferably, the cancer to be treated is gene-linked hereditary cancer. In a preferred embodiment of the invention the cancer is gene-linked hereditary breast cancer.

In a preferred aspect, the PARP inhibitor is useful in the treatment of cancer cells defective in the expression of a gene involved in HR. Genes with suggested function in HR include XRCC1, ADPRT (PARP-1), ADPRTL2 (PARP-2), CTPS, RPA, RPA1, RPA2, RPA3, XPD, ERCC1, XPF, MMS19, RAD51, RAD51B, RAD51C, RAD51D, DMC1, XRCC2, XRCC3, BRCA1, BRCA2, RAD52, RAD54, RAD50, MRE11, NBS1, WRN, BLM, Ku70, Ku80, ATM, ATR, chk1, chk2, FANCA, FANCB, FANCC, FANCD1, FANCD2, FANCE, FANCF, FANCG, RAD1, RAD9 (see (2, 3, 5, 22-28) for reviews).

A gene involved in HR may be a tumour suppressor gene. The invention thus provides for the treatment of cancer cells defective in the expression of a tumour suppressor gene. Preferably, the tumour suppressor gene is BRCA1 or BRCA2.

Breast cancer is the most common cancer disease among women in the Western world today. Certain families have strong predisposition for breast cancer, which is often owing to an inherited mutation in one allele of either BRCA1 or BRCA2. However, these patients still maintain one functional allele. Thus, these patient develop normally

15 ·

20

25

The present inventors have surprisingly found that BRCA2 deficient cells are 100 times more sensitive to the PARP-1 inhibitor, NU1025, than wild type cells.

Thus in a preferred aspect, the invention provides the use of a PARP inhibitor in the manufacture of a medicament for the treatment of cancer cells defective in BRCA1 and/or BRCA2 expression.

The cancer cells to be treated may be partially or totally deficient in BRCA1 or BRCA2 expression. BRCA1 and BRCA2 mutations can be identified using multiplex PCR techniques, array techniques (29, 30) or using other screens known to the skilled person.

PARP inhibitors useful in the present invention may be selected from inhibitors of PARP-1, PARP-2, PARP-3, PARP-4, tankyrase 1 or tankyrase 2 (see 31 for a review). In a preferred embodiment, the PARP inhibitor useful in the present invention is an inhibitor of PARP-1 activity.

PARP inhibitors useful in the present invention include benzimidazole-carboxamides, quinazolin-4-[3H]-ones and isoquinoline derivatives (e.g.2-(4-hydroxyphenyl)benzimidazole-4-carboxamide (NU1085), 8-hydroxy-2-methylquinazolin-4-[3H] one (NU1025); 6(5H)phenanthridinone; 3 aminobenzamide; AG14361; benzimidazole-4-carboxamides (BZ1-6) and tricyclic lactam indoles (TI1-5) [32]. Further inhibitors of PARP may be identified either by design [33] or the novel FlashPlate assay [34].

The PARP inhibitor formulated as a pharmaceutical composition may be administered in any effective, convenient manner effective for targeting cancer cells including, for instance, administration by oral, intravenous, intramuscular, intradermal, intranasal, topical routes among others. Carriers or diluents useful in the pharmaceutical

30

composition may include, but are not limited to saline, buffered saline, dextrose, water, glycerol, ethanol and combinations thereof.

In therapy or as a prophylactic, the active agent may be administered to an individual as an injectable composition, for example as a sterile aqueous dispersion. The inhibitor may be administered directly to a tumour or may be targeted to the tumour via systemic administration.

A therapeutically effective amount of the inhibitor is typically one which is sufficient to achieve the desired effect and may vary according to the nature and severity of the disease condition, and the potency of the inhibitor. It will be appreciated that different concentrations may be employed for prophylaxis than for treatment of an active disease.

15 For administration to mammals, and particularly humans, it is expected that the daily dosage level of the active agent will be from 0.01mg/kg to 10 mg/kg body weight, typically up to 0.1, 05, 1.0, 2.0 or 5.0 mg/kg body weight. Ultimately, however, the amount of inhibitor administered and the frequency of administration will be at the discretion of a physician.

A therapeutic advantage of using PARP inhibitors to treat cancer cells is that only very low doses are needed to have a therapeutic effect in treating cancer thereby reducing systemic build up of the inhibitors and any associated toxic effects.

25 A preferred aspect of the invention provides an agent which is an inhibitory RNA (RNAi) molecule.

A technique to specifically ablate gene function is through the introduction of double stranded RNA, also referred to as inhibitory RNA (RNAi), into a cell which results in the destruction of mRNA complementary to the sequence included in the RNAi molecule. The RNAi molecule comprises two complementary strands of RNA (a sense strand and an antisense strand) annealed to each other to form a double stranded RNA molecule. The RNAi molecule is typically derived from exonic or coding sequence of the gene which is to be ablated.

10

15

20

25

30

Preferably said RNAi molecule is derived from the nucleic acid molecule comprising a nucleic acid sequence selected from the group consisting of:

- a nucleic acid sequence as represented by the sequence in Figure 5, 6, 7, 8,
   or 10, or fragment thereof;
- b) a nucleic acid sequence which hybridises to the nucleic acid sequences of Figure 5, 6, 7, 8, 9 or 10 and encodes a gene for PARP;
- c) a nucleic acid sequence which comprise sequences which are degenerate as a result of the genetic code to the nucleic acid sequences defined in (a) and (b).

Recent studies suggest that RNAi molecules ranging from 100-1000bp derived from coding sequence are effective inhibitors of gene expression. Surprisingly, only a few molecules of RNAi are required to block gene expression which implies the mechanism is catalytic. The site of action appears to be nuclear as little if any RNAi is detectable in the cytoplasm of cells indicating that RNAi exerts its effect during mRNA synthesis or processing.

The exact mechanism of RNAi action is unknown although there are theories to explain this phenomenon. For example, all organisms have evolved protective mechanisms to limit the effects of exogenous gene expression. For example, a virus often causes deleterious effects on the organism it infects. Viral gene expression and/or replication therefore needs to be repressed. In addition, the rapid development of genetic transformation and the provision of transgenic plants and animals has led to the realisation that transgenes are also recognised as foreign nucleic acid and subjected to phenomena variously called quelling (Singer and Selker, 1995), gene silencing (Matzke and Matzke, 1998), and co-suppression (Stam et. al., 2000).

Initial studies using RNAi used the nematode Caenorhabditts elegans. RNAi injected into the worm resulted in the disappearance of polypeptides corresponding to the gene sequences comprising the RNAi molecule (Montgomery et. al., 1998; Fire et. al., 1998). More recently the phenomenon of RNAi inhibition has been shown in a number of eukaryotes including, by example and not by way of limitation, plants, trypanosomes (Shi et. al., 2000) Drosophila spp. (Kennerdell and Carthew, 2000).

Recent experiments have shown that RNAi may also function in higher enkaryotes. For example, it has been shown that RNAi can ablate *c-mos* in a mouse occtye and also E-cadherin in a mouse preimplanation embryo (Wianny and Zernicka-Goetz, 2000).

5

More preferably said RNAi molecule according has a length of between 10 nucleotide bases (nb) -1000nb. Even more preferably said RNAi molecule has a length of 10nb; 20nb; 30nb; 40nb; 50nb; 60nb; 70nb; 80nb; 90nb; or 100bp. Even more preferably still said RNAi molecule is 21nb in length.

10

30

Even more preferably still the RNAi molecule comprises the nucleic acid sequence as a ago can ggu gga gua uga (PARP-1)

Even more preferably still the RNAi molecule consists of the nucleic acid sequence
as acc as euc ucc agu uca ac (PARP-2)

Even more preferably still the RNAi molecule consists of the nucleic acid sequence sag acc and gag acc and (PARP-3)

20 The RNAi molecule may comprise modified nucleotide bases.

Preferred features of each aspect of the invention are as for each of the other aspects mutatis mutandis.

25 The present invention will now be described by way of example only with reference to the accompanying figures, wherein:

Figure 1 is a graph demonstrating that HR deficient cells are hypersensitive to the toxic effect caused by inhibition of PARP-1. Colony outgrowth of the Chinese hamster cell lines AAS (wild-type), irs1SF (deficient in HR[4]), CXR3 (irs1SF complemented with XRCC3 [2]), V79 (wild-type), irs1 (deficient in HR[5]) or irs1X2.2 (irs1 complimented with XRCC2 [1]) upon exposure to 3-AB (A), ISQ (B) or NU1025 (C). The means (symbols) and standard deviation (bars) of at least three experiments are shown. Colony outgrowth assay was used;

Figure 2 is a graph showing cell survival in the presence of PARP inhibitor NU1025 in wt V79 cells, BRCA2 deficient VC-8 cells and VC-8 cells complimented with functional BRCA2 gene (VC-8#13, VC-8+B2). Colony outgrowth assay was used;

5

- Figure 3 is a graph showing cell survival in the presence of PARP inhibitor AG14361 in wt V79 cells, BRCA2 deficient VC-8 cells and VC-8 cells complimented with functional BRCA2 gene (VC-8#13, VC-8+B2);
- Figure 4 is a histogram showing the percentage of the cells in apoptosis following a 72 hour incubation with NU1025;
  - Figure 5 is the human cDNA sequence of PARP-1;
- 15 Figure 6 is the human cDNA sequence of PARP-2;
  - Figure 7 is the human cDNA sequece of PARP-3;
  - Figure 8 is the human gDNA sequnce of Tankyrase 1;

- Figure 9 is the human mRNA sequece of Tankyrase 2;
- Figure 10 is the human mRNA sequnce of VPARP;

#### EXAMPLES

### Homologous recombination deficient cells are hypersensitive to PARP-1 inhibition

To investigate the involvement of HR in cellular responses to inhibition of PARP-1, the effects of PARP-1 inhibitors on the survival of HR repair deficient cell lines were studied. It was found that cells deficient in HR (i.e., irs1SF which is defective in XRCC3 or irs1 which is defective in XRCC2 [see Table 1] were very sensitive to the toxic effect of 3-aminobenzamide (3-AB) and to two more potent inhibitors of PARP-1: 1,5-dihydroxyisoquinoline (ISQ; [37]) or 8-hydroxy-2-methylquinazolinone (NU1025 [38, 39]) (Figure 1). The sensitivity in irs1SF cells to 3-AB, ISQ or NU1025 was corrected by the introduction of a cosmid containing a functional XRCC3 gene (CXR3). Similarly, the sensitivity in irs1 cells to 3-AB, ISQ or NU1025 was corrected by the introduction of a cosmid containing a functional XRCC2 gene (irs1X2.2).

15

20

25

5

10

### BRCA2 deficient cells are hypersensitive to PARP-1 inhibition

The survival of BRCA2 deficient cells (VC8) and wild type cells (V79Z) in the presence of inhibitors of PARP-1 was investigated. It was found that VC8 cells are very sensitive to the toxic effect of NU1025 (Figure 2) or AG14361 (Figure 3). The sensitivity in VC8 cells was corrected by the introduction of a functional BRCA2 gene either on chromosome 13 (VC8#13) or on an overexpression vector (VC8+B2). This result demonstrates that the sensitivity to PARP-1 inhibitors is a direct consequence of loss of the BRCA2 function.

To investigate if inhibition of PARP-1 triggers apoptosis in BRCA2 deficient cells, the level of apoptosis 72 hours following exposure to NU1025 was investigated. It was found that NU1025 triggered apoptosis only in VC8 cells, showing that loss of PARP-1 activity in BRCA2 deficient cells triggers this means of death (Figure 4).

Table 1. Genotype and origin of cell lines used in this study.

Cell line	Genotype	Defect	Origin	Reference
AA8	wt	wt	ÇHO	[41]
irs1SF	XRCC3	XRCC3, deficient in HR	AA8	[41]
CXR3	XRCCT	wt	irs1SF	[41]
CAIC	+ hXRCC3		,	•
V79-4	wt	₩t	V79	[40]
		XRCC2 <sup>-</sup> , deficient in HR		[40]
irsl	XRCC2	·	irs1	[40]
irs1X2.2	XRCC2	wt	1000	Lives
	+ hXRCC2			
V79-Z	wt	wt	V79	[42]
VC8	BRCA2	BRCA2, deficient in HR	¥79-Z	[42]
VC8#13	BRCA2	wt	VC8	[42]
	+hBRCA2			
VC8+B	2 BRCAT	wt	VC8	[42]
	+hBRCA2		•	
		·		

### Materials and Methods

### Cytotoxicity of BRCA2 cells to PARP inhibitors

5 Cell culture

The irs1, irs1X2.1 and V79-4 cell lines were a donation from John Thacker [40] and the AA8, irs1SF and CXR3 cell lines were provided by Larry Thompson [41].

The VC-8, VC-8+B2, VC-8#13 were a gift from Malgorzata Zdzienicka [42]. All cell lines in this study were grown in Dulbecco's modified Eagle's Medium (DMEM) with 10% Foetalbovine serum and penicillin (100 U/ml) and streptomycin sulphate (100 μg/mL) at 37°C under an atmosphere containing 5% CO<sub>2</sub>.

Toxicity assay - colony outgrowth assay

- 500 cells suspended in medium were plated onto a Petri dish 4 hours prior to the addition of 3-AB, ISQ or NU1025. ISQ and NU1025 were dissolved in DMSO to a final concentration of 0.2% in treatment medium. 7 12 days later, when colonies could be observed, these colonies were fixed and stained with methylene blue in methanol (4 g/l). Colonies consisting of more than 50 cells were subsequently
- 20 counted.

Toxicity assay – clonogenic survival assay

Exponentially growing cells in 6-well plates were exposed to AG14361 in 1% DMSO or 1% DMSO alone in medium for 24 hours.

- The cells were harvested by trypsinisation, counted and seeded at varying densities in 10 cm dishes in fresh medium in the absence of drug for colony formation.
  7-10 days later the dishes were fixed with methanol:acetic acid 3:1 and stained with 0.4% crystal violet.
- Colonies were counted and the survival relative to 1%DMSO control treated cells 30 calculated.

### Apoptosis experiments

0.25x10<sup>6</sup> cells were plated onto Petri dishes and grown for 4 hours before treatment with NU1025. After 72 hours, cells were trypsinized and resuspended with medium containing any floating cells from that sample. The cells were pelleted by centrifugation and resuspended for apoptosis analysis with FITC-conjugated annexin-V and propidium lodine (PI) (ApoTarget, Biosource International) according to manufacturer's protocol. Samples were analysed by flow cytometry (Becton-Dickenson FACSort, 488 nm laser), and percentage of apoptotic cells was determined by the fraction of live cells (PI-negative) bound with FITC-conjugated annexin-V.

10

#### REFERENCES:

5

15

25

- [1] A.R. Venleitaraman Cancer susceptibility and the functions of BRCA1 and BRCA2, Cell 108 (2002) 171-182.
  - [2] C. Lundin, K. Brixon, C. Arnaudeau, N. Schultz, D. Jenssen, M. Meuth and T. Helleday Different roles for nonhomologous end joining and homologous recombination following replication arrest in mammalian cells, Mol Cell Biol 22 (2002) 5869-5878.
- 10 [3] D. D'Amours, S. Desnoyers, I. D'Silva and G.G. Poirier Poly(ADP-ribosyl)ation reactions in the regulation of nuclear functions, Biochem J 342 (1999) 249-268.
  - [4] Z. Herceg and Z.Q. Wang Functions of poly(ADP-ribose) polymerase (PARP) in DNA repair, genomic integrity and cell death, Mutat Res 477 (2001) 97-110.
  - [5] T. Lindahl, M.S. Satoh, G.G. Poirier and A. Klungland Post-translational modification of poly(ADP-ribose) polymerase induced by DNA strand breaks, Trends Biochem Sci 20 (1995) 405-411.
- [6] M.S. Satch and T. Lindahl Role of poly(ADP-ribose) formation in DNA
   repair, Nature 356 (1992) 356-358.
  - [7] S. Shall and G. de Murcia Poly(ADP-ribose) polymerase-1: what have we learned from the deficient mouse model?, Mutat Res 460 (2000) 1-15.
  - [8] Z.Q. Wang, L. Stingl, C. Morrison, M. Jantsch, M. Los, K. Schulze-Osthoff and E.F. Wagner PARP is important for genomic stability but dispensable in apoptosis, Genes Dev 11 (1997) 2347-2358.
  - [9] C.M. Simbulan-Rosenthal, B.R. Haddad, D.S. Rosenthal, Z. Weaver, A. Coleman, R. Luo, H.M. Young, Z.Q. Wang, T. Ried and M.E. Smulson Chromosomal aberrations in PARP(-/-) mice: genome stabilization in inunortalized cells by reintroduction of poly(ADP-ribose) polymerase cDNA, Proc Natl Acad Sci U S A 96 (1999) 13191-13196.
  - [10] J.M. de Murcia, C. Niedergang, C. Trucco, M. Ricoul, B. Dutrillaux, M. Mark, F.J. Oliver, M. Masson, A. Dierich, M. LeMeur, C. Walztinger, P. Chambon and G. de Murcia Requirement of poly(ADP-ribose) polymerase in recovery

10

20

- from DNA damage in mice and in cells, Proc Natl Acad Sci U S A 94 (1997) 7303-7307.
- [11] F. d'Adda di Fagagna, M.P. Hande, W.M. Tong, P.M. Lansdorp, Z.Q. Wang and S.P. Jackson Functions of poly(ADP-ribose) polymerase in controlling telomere length and chromosomal stability, Nat Genet 23 (1999) 76-80.
- [12] E. Samper, F.A. Goytisolo, J. Menissier-de Murcia, E. Gonzalez-Suarez, J.C. Cigudosa, G. de Murcia and M.A. Blasco Normal telomere length and chromosomal end capping in poly(ADP-ribose) polymerase-deficient mice and primary cells despite increased chromosomal instability, J Cell Biol 154 (2001) 49-60.
- [13] C. Morrison, G.C. Smith, L. Stingl, S.P. Jackson, E.F. Wagner and Z.Q. Wang Genetic interaction between PARP and DNA-PK in V(D)J recombination and tumorigenesis, Nat Genet 17 (1997) 479-482.
- [14] V. Schreiber, D. Hunting, C. Trucco, B. Gowans, D. Grunwald, G. De Murcia and J.M. De Murcia A dominant-negative mutant of human poly(ADP-ribose) polymerase affects cell recovery, apoptosis, and sister chromatid exchange following DNA damage, Proc Natl Acad Sci U S A 92 (1995) 4753-4757.
  - [15] J.H. Kupper, M. Muller and A. Burkle Trans-dominant inhibition of poly(ADP-ribosyl)ation potentiates carcinogen induced gene amplification in SV40-transformed Chinese hamster cells, Cancer Res 56 (1996) 2715-2717.
  - [16] J. Magnusson and C. Ramel Inhibitor of poly(ADP-ribose)transferase potentiates the recombinogenic but not the mutagenic action of alkylating agents in somatic cells in vivo in Drosophila melanogaster, Mutagenesis 5 (1990) 511-514.
  - 25 [17] A.S. Waldman and B.C. Waldman Stimulation of intrachromosomal homologous recombination in mammalian cells by an inhibitor of poly(ADP-ribosylation), Nucleic Acids Res 19 (1991) 5943-5947.
    - [18] A. Semionov, D. Cournoyer and T.Y. Chow Inhibition of poly(ADP-ribose)polymerase stimulates extrachromosomal homologous recombination in mouse Ltk-fibroblasts, Nucleic Acids Res 27 (1999) 4526-4531.
    - [19] F. Dantzer, V. Schreiber, C. Niedergang, C. Trucco, E. Flatter, G. De La Rubia, J. Oliver, V. Rolli, J. Menissier-de Murcia and G. de Murcia Involvement of poly(ADP-ribose) polymerase in base excision repair, Biochimie 81 (1999) 69-75.

25. JUL. 2003 17:58 HARRISON GODDARD NO. 758 P. 21

- [20] F. Dantzer, G. de La Rubia, J. Menissier-De Murcia, Z. Hostomsky, G. de Murcia and V. Schreiber Base exclsion repair is impaired in mammalian cells lacking Poly(ADP-ribose) polymerase-1, Biochemistry 39 (2000) 7559-7569.
- [21] L. Tentori, I. Portarena and G. Graziani Potential clinical applications of poly(ADP-ribose) polymerase (PARP) inhibitors, Pharmacol Res 45 (2002) 73-85.
  - [22] T. Lindahl and R.D. Wood Quality control by DNA repair, Science 286 (1999) 1897-1905.
- [23] K.W. Caldecott DNA single-strand break repair and spinocerebellar ataxia,

  Cell 112 (2003) 7-10.
  - [24] D. D'Amours and S.P. Jackson The Mre11 complex: at the crossroads of dna repair and checkpoint signalling, Nat Rev Mol Cell Biol 3 (2002) 317-327.
  - [25] A.D. D'Andrea and M. Grompe The Fanconi anaemia/BRCA pathway, Nat Rev Cancer 3 (2003) 23-34.
- 15 [26] S.P. Jackson Sensing and repairing DNA double-strand breaks, Carcinogenesis 23 (2002) 687-696.
  - [27] R. Kanaar, J.H. Hoeijmakers and D.C. van Gent Molecular mechanisms of DNA double strand break repair, Trends Cell Biol 8 (1998) 483-489.
  - [28] D.C. van Gent, J.H. Hoeijmakers and R. Kanaar Chromosomal stability and the DNA double-stranded break connection, Nat Rev Genet 2 (2001) 196-206.
    - [29] S.L. Neuhausen and E.A. Ostrander Mutation testing of early-onset breast cancer genes BRCA1 and BRCA2, Genet Test 1 (1997) 75-83.

20

25

- [30] G. Kuperstein, W.D. Foulkes, P. Ghadirian, J. Hakimi and S.A. Narod A rapid fluorescent multiplexed-PCR analysis (FMPA) for founder mutations in the BRCA1 and BRCA2 genes, Clin Genet 57 (2000) 213-220.
- [31] A. Chiarugi Poly(ADP-ribose) polymerase: killer or conspirator? The 'suicide hypothesis' revisited, Trends Pharmacol Sci 23 (2002) 122-129.
- [32] C.R. Calabrese, M.A. Batey, H.D. Thomas, B.W. Durkacz, L.Z. Wang, S. Kyle, D. Skalitzky, J. Li, C. Zhang, T. Boritzki, K. Maegley, A.H. Calvert, Z. Hostomsky, D.R. Newell and N.J. Curtin Identification of Potent Nontoxic Poly(ADP-Ribose) Polymerase-1 Inhibitors: Chemopotentiation and Pharmacological Studies, Clin Cancer Res 9 (2003) 2711-2718.
  - [33] D. Ferraris, Y.S. Ko, T. Pahutski, R.P. Ficco, L. Serdyuk, C. Alexnu, C. Bradford, T. Chiou, R. Hoover, S. Huang, S. Lautar, S. Liang, Q. Lin, M.X.

- Lu, M. Mooney, L. Morgan, Y. Qian, S. Tran, L.R. Williams, Q.Y. Wu, J. Zhang, Y. Zou and V. Kalish Design and synthesis of poly ADP-ribose polymerase-1 inhibitors. 2. Biological evaluation of aza-5[H]-phenanthridin-6-ones as potent, aqueous-soluble compounds for the treatment of ischemic injuries, J Med Chem 46 (2003) 3138-3151.
- [34] K.J. Dillon, G.C. Smith and N.M. Martin A FlashPlate assay for the identification of PARP-1 inhibitors, J Biomol Screen 8 (2003) 347-352.

10

20


- [35] A.J. Pierce, R.D. Johnson, L.H. Thompson and M. Jasin XRCC3 promotes homology-directed repair of DNA damage in mammalian cells, Genes Dev 13 (1999) 2633-2638.
- [36] R.D. Johnson, N. Liu and M. Jasin Mammalian XRCC2 promotes the repair of DNA double-strand breaks by homologous recombination, Nature 401 (1999) 397-399.
- [37] G.M. Shah, D. Poirier, S. Desnoyers, S. Saint-Martin, J.C. Hoflack, P. Rong,
   M. ApSimon, J.B. Kirkland and G.G. Poirier Complete inhibition of poly(ADP-ribose) polymerase activity prevents the recovery of C3H10T1/2 cells from oxidative stress, Biochim Biophys Acta 1312 (1996) 1-7.
  - [38] R.J. Griffin, S. Srinivasan, K. Bowman, A.H. Calvert, N.J. Curtin, D.R. Newell, L.C. Pemberton and B.T. Golding Resistance-modifying agents. 5.


    Synthesis and biological properties of quinazolimone inhibitors of the DNA repair enzyme poly(ADP-ribose) polymerase (PARP), J Med Chem 41 (1998) 5247-5256.
  - [39] S. Boulton, L.C. Pemberton, J.K. Porteous, N.J. Curtin, R.J. Griffin, B.T. Golding and B.W. Durkacz Potentiation of temozolomide-induced cytotoxicity: a comparative study of the biological effects of poly(ADP-ribose) polymerase inhibitors, Br.J. Cancer 72 (1995) 849-856.
  - [40] C.S. Griffin, P.J. Simpson, C.R. Wilson and J. Thacker Mammalian recombination-repair genes XRCC2 and XRCC3 promote correct chromosome segregation, Nat Cell Biol 2 (2000) 757-761.
- 30 [41] R.S. Tebbs, Y. Zhao, J.D. Tucker, J.B. Scheerer, M.J. Siciliano, M. Hwang, N. Liu, R.J. Legerski and L.H. Thompson Correction of chromosomal instability and sensitivity to diverse mutagens by a cloned cDNA of the XRCC3 DNA repair gene, Proc Natl Acad Sci U S A 92 (1995) 6354-6358.


[42] M. Kraakman-van der Zwet, W.J. Overkamp, R.E. van Lange, J. Essers, A. van Duijn-Goedhart, I. Wiggers, S. Swaminathan, P.P. van Buul, A. Errami, R.T. Tan, N.G. Jaspers, S.K. Sharan, R. Kanaar and M.Z. Zdzienicka Brca2 (XRCC11) deficiency results in radioresistant DNA synthesis and a higher frequency of spontaneous deletions, Mol Cell Biol 22 (2002) 669-679.

1/13

Figure 1.










Figure 2.






Figure 3.





Figure 4



5

10

15

### FIGURE 5

1 egecegecea geceeggggg cagggaaage chaattaeg gaattaeege gagcaaggag 61 cgcggaatcg gggagcgtcc ggagctagot ggatcotcta ggcaggatgg tgatgggaat 5 121 cittgcaast tgtatottet gtitgaaagt gaagtaetta ceteageage agaagaaasa 181 gotacaaact gacattaagg aaaatggogg aaagtittee ittiegitaa ateeleagtg 241 cacacatata atettagata atgetgatgt totgagteag taccaactga attetateca 301 asagaaccac gitcatatig caaacccaga tittatatgg aaatctatoa gagaaaagag 361 actottggat gtaangaatt atgateetta tnageceetg gacateacae caceteetga 10 421 teagaaggeg ageagttotg aagtgaaaao agaaggteta tgeeeggaca gtgeeacaga 481 ggaggaagac actgtggaac teactgagtt tggtatgeag aatgitgaas tteeteatet 541 tecteaagat titgaagitg caaaatataa caccitggag aaagigggaa tggagggagg 601 ccaggaaget gtggtggtgg agettoagtg ttegegggae tecagggaet gteettteet 661 gatatectea caettectoe tegatgateg categagaeat agaagacagt ttgotataaa 15 721 ganaacctet gangatgean gigantacti tganaattac attgangano tganganaca 781 aggatticia ciaagagaac atticacace tgaagcaace caattagcat cigaacaatt 841 gesageattg etittggagg aagteatgaa ticaageact etgageeaag aggtgagega 901 titagtagag atgattiggg cagaggecot gggccacetg gaacacatge ticteaagee 961 agtgaacagg attagcetea aogatgtgag caaggeagag gggattetee ttetagtaaa 20 1021 ggcagcactg aaasatggag aascagcaga gcaattgcaa aagatgatga cagagttta 1081 cagactgata cotcacaaag geacaatgee caaagaagtg aacetgggae tattggetaa 1141 gaaagcagac cicigecage taataagaga catggitaat giotgigaaa ctaattigic 1201 casacccase ccaccatece tggccsasta cogagottig agetgcasas ttgagcatgt 1261 tgaacagasi actgaagaat ttotcagggt tagaaaagag gttttgcaga atostcacag 25 1321 taagageeea giggaigiet tgeagatati tagagitgge agagigaatg asaccacaga 1381 gitttigage aasettggta atgtgaggee citgtigeat ggiteteotg tacasaacat 1441 cgtgggaate tigtgtegag ggttgettit acceaangta gtggaagate gtggtgtgea 1501 augaacagac giogganacc tiggaagigg gatitatitc agigaticgo toagiacaag 1561 tateaagtae teacaccegg gagagaeaga tggeaceaga eteetgetea titgtgaegt 1621 agcoctogga eagtgiatgg acttaoatga gaaggactit toottaactg aagcaccaco 30 1681 aggetaegae agtgtgeatg gagttteaea aaoageetet gteaceaeag actttgagga 1741 tgatgaattt gitgictata aaaccaatca ggitaaaaig aaatatalia ttaaattite 1801 catgcctgga gatcagataa aggactttca teetagtgat cataotgaat tagaggaata 1861 cagacetgag titicaaatt titeaaaggt tgaagattae eagttaceag atgecaaaac 35 1921 ttccagcage accaaggeeg geetecagga tgettetggg aacttggtte etetggagga 1981 tgtccacate aaagggagaa teatagaeae tgtageeeag gteatigtti ticagaeata 2041 cacaattase agtcacgtgc ccattgaggc aasatatate ttteetttgg atgacaagge 2101 ogotgtgtgt ggottogaag oottoatoaa tgggaagcao atagttggag agattaaaga 2161 gaaggaagaa goccagcaag agtacctaga agccgtgaco cagggccatg gogcttacct 40 2221 gatgagtoag gatgotoogg acgtitttac tgtaagtgit ggaaacttac occotaaggo 2281 taaggitott ataasaatta ootacatcac agaactcagc atcotgggca ctgttggtgt 2341 ctitticate occescacoe tagcaccote ecaacageac aaggotitea atgaasacct 2401 reaggataca gtagagaaga ttigtataaa agaaatagga acaaageaaa gettetettt 2461 gactatgict attgagatgc cgtacgtgat tgaattcatt ticagtgata ctcatgaact 2521 gasacassag ogcacagaot gosaagotgt cattagcacc atggaaggca gotcottaga 45 2581 cagoagtega tittictotco acatogetti etotectecc tatoteccaa gaateteget 2641 tgaaaaacat coagaaaaag aaagogagge tigcatgett giettteaae cegatetega 2701 tgtcgacctc octgacctag ccaatgagag cgaagtgatt atttgtcttg actgctccag 2761 ttccatggag getgtgacat tottgcaage caaggaaate geettgeatg egetgteett 50 2821 ggtgggtgag aagcagaaag taastattat ccagttcggc acaggttaca aggagctatt

2881 ttogtatoet aagoatatoa caagoaatac egoggoagoa gagttoatoa tetoteceac 2941 acctaccatg gggaacacag acttotggaa aaoactccga tatcttaget tattgtaccc 3001 tectogages toacegaaca toctoctest stotestess cacciccage atgagagect 3061 gacattacag otogtgaaga ggagccgocc gcacaccagg ttattogcct gcggtatogg 5 3121 ttotacagea aatogtoacg tettaaggat tttgtoccag tgtggtgccg gagtatitga 3181 atatittaat gcaaaatcca agcatagtig gagaaascag atagaagacc aaatgaccag 3241 getatgitet cegagitigee actetgiete egicaaatgg cageaactea atecagatge 3301 georgaggee ofgeaggeee cageocaggt gecateetig tittegeaatg ategacteet 3361 tetotatega tioattocio actecaoaca gecaactote tetecactaa ttoaagagaa 10 3421 agaatttigt acaatggtgt cgactactga gottcagaag acaactggaa ctatgatcca 3481 caagetggca gecegagete taateagaga ttatgaagat ggcattetto aegaaaatga 3541 saccagicat gagatgasas sacssaccit gasatcicte attettasse teagissaga 3601 aaactetete ataacacaat tiacaageti tetegeagti gagaaaaggg atgagaatga 3661 gtoacottit octgatatto caaaagttic tgaacttatt gecaaagaag atgtagaett 15 3721 cotgeoctae atgagetege agggggaace ocaagaagee gteaggaace agtetettit 3781 agcatectet gagtggcoag aattaegitt atecaaaega aaacatagga aaattecatt 3841 ttcceaeaga aaaatggaat tatotoagco agaagtitot gaagatitig aagaggatgo 3901 citaggigta ciaccagcit icaoaicaaa titggaacgi ggacgigigg aaaagciatt 3961 ggattlaagt tggacagagt catgtasacc aacagcaact gaaccactat ttaagaaagt 20 · 4021 cagtocateg gasacatora cttotagott titicctatt tiggetcegg cegtigette 4081 ctatettace cegactacee gegeteacag teetgettee ttgtetttig ceteatateg 4141 toaggraget agtttoggtt cagetgetee teecagacag titgatgeat etcaattoag 4201 coaaggccot gigcctggca citgtgctga ciggatecca cagteggcgt citgtccac 4261 aggacetece ougaaccoae citetgeace ctattetege attetitit caggeagete 25 4321 attaagetet geacagtetg etecacigea acateetgga ggettiaeta eeaggeette 4381 tgotggeaco ttecetgage tggattetee ceagetteat ttetetetto etacagacce 4441 teateceate agaggttttg ggtettatoa teoetetget tacteteett tteatitteä 4501 sectlogga goctotitgs otgocascot taggotgoca atggoctotg ctitacotga 4561 ggctetttge agteagteee ggaetaceee agtagatete tgtettetag aagaateagt 30 4621 aggragatote gaaggaagte gatgteetgt etttgettit caaagttetg acaeagaaag 4681 tgatgageta teagaagtae tteangaeag etgettttta caaataaast gtgatacaaa 4741 agatgacagt atccogtgot tictggaagt aaaagaagag gatgaaatag tgtgcacaca 4801 acactggcag gatgotgtgc citggacaga actectcagt ctacagacag aggatggctt 4861 ctgganactt acaccagaao tgggacttat attaaatett aatacaaatg gittgcacag 35 4921 otticitasa caasaaggoa ticasicici aggigtaasa ggaagagaat gictootgga 4981 cetaattgoc acaatgetgg tactacagti tattegeace aggitggaaa aagagggaat 5041 agtgtteasa teactgatga asatggatga coettetait tecaggsata tteectggge 5101 ttttgaggca ataaagcaag caagtgaatg ggtaagaaga actgaaggac agtaccoatc 5161 tatetgecca eggettgaae tggggaaega etgggaotet gecaocaage agttgetggg 40 5221 actocagoco ataagoactg tgtococtot toatagagte otocattaca gtoaaggeta 5281 agicasatga aactgaatti taaactttii gcatgetict atgtagaasa taatcasatg 5341 ataatagata citataatga aacitcatta aggittcatt cagigiagca attacigici 5401 ttaaaaatta agtggaagaa gaattactit aatcaactaa caagcaataa taaaatgaaa 5461 cttaaaat

### Figure 6

1 ctagaattca geggeegetg aattetagge ggegeggegg ogaeggagea eoggeggegg 61 caggogaga goattaaatg aaagcaaaag agttaataat ggcaacacgg ctccagaaga 5 121 ctcttcccct gccaagaaaa ctcgtagatg ccagagacag gagtcgaaaa agatgcctgt 181 gectggagga asagotaata aggacaggao agaagacaag caagatggta teccaggaag 241 gtoatgggco agosaaaggg tototgasto tgtgaaggco ttgotgttaa agggosaago 301 tectgtggae ceagagtgta eagceaaggt ggggaagget catgtgtatt gtgaaggaaa 361 tgatgtetat gatgteatge taaateagae caatoteeag tteaacaaca acaagtacta 10 421 tetgatteag etattagaag atgatgecea gaggaaette agtgttfgga tgagatgggg 481 cogagttegg assateggac agcacagcot getegettet toaggosate toaccaaggo 541 caaggaate titeagaaga aatteettga caaaaegaaa aacaattggg aagategaga 601 saagttigag aaggtgcotg gaaaatatga tetgctacag atggactatg ocaccaatac 661 toaggatgaa gaggaaacaa aasaagagga atotettaaa tetecottga agecagagte 721 acagctagat ottogggtac aggagttaat aaagttgatc tgtaatgttc aggocatgga 15 781 agaaatgatg atggaaatga agtataatac caagaaagco coacttggga agctgacagt 841 ggcacaaatc aaggcaggtt accagtotot taagaagatt gaggatteta ttogggotgg 901 ccagoatgga ogagetetea tggaageatg caatgaatte tacaccagga tteegeatga 961 ctttggaete egtaeteete eactaateeg gacacagaag gaactgtoag aaaaaataca 20 1021 attectagag gettigggag acattgagat tgetattaag etggtgagag cagagetaca 1081 aagoccagaa cacccattgg accaacacta tagaaaccta cattgtgcct tgcgccccct 1141 tgaccatgaa agttacgagt tcaaagtgat ttcccagtac ctacaatcta cccatgetee 1201 cacacacage gactatacca tgaccitget ggatttgttt gaagtggaga aggatggtga 1261 gaaagaagoc ttoagagagg acettcataa caggatgctt ctatggcatg gttccaggat 25 1321 gagtaactgg gtgggaatet tgagccatgg gettegaatt geceaecetg aageteecat 1381 cacaggitac atgittiggga aaggaatota cittigcigac atgitcitcca agagtgccaa 1441 ttactgottt geetetegeo taaagaatae aggactgotg etettateag aggtagetet 1501 aggteagtgt aatgaactae tagaggeeaa teetaaggee gaaggattge tteaaggtaa 1561 acatagoaco aagggeotgg goaagatggo toccaettot goccaettog toaccotgaa 1621 teggagtaca etgecattag gaccagcaag tgacacagga attotgaatc cagategtta 30 1681 tacceteaac tacaatgaat atattgtata taaceecaac caggteegta tgeggtacet 1741 ttraasgett cagittaatt teetteaget giggtgaatg tigateitaa ataaseeaga 1801 gatotgatot toaagoaaga aaataagoag tgttgtacit gtgaaitttg tgatattita 1861 tetantaana actetacage tetanaanaa naannaana annaannaa 35

#### Figure 7:

1 taggactgst cacetgacte acceptance ageetetget teacceast gatageaaa
61 tageegatgt etaateeece acacaagete ateeeggee tetaggatta tigggaatte
121 tetecetaat teaegeetga gateatgaa gaattaetaa acetgagaet geetaggaa
181 gegeacaaa eeaggeegg tageageeaa gacetetee atgeeetga tittettage
241 catageteea aageegaage eetaggtaca gactgagage eetagaaga agaagggeeg
45 301 geaggeagga agggaggagg accetteeg eteaacaget gaggeeetea aggeeatace
361 egeagagaag egeataatee gegtagatee aacatgteea eteagagaa acceegggae
421 ocaggtata gaggaetaca actgeaceet gaaceagae aacategaga acaacaaaa
481 caagttetae ateateeage tgeteeaaga cagcaacege ttetteacet getagaaceg
541 etagggeegt gtaggagaag teggeeagte aaagateaac cactteacaa getagaaga
601 tgeaaagaag gactttagaa agaaattteg ggaaaagace aagaacaact gggaagagg

661 ggaccactit gigicicaoc ogggoaagta cacacitate gaagtacagg cagaggatga 721 ggcccaggaa gotgtggtga aggtggacag aggcccagtg aggactgtga ctaagogggt 781 goagecetge teeetggace eagecaogea gaageteate actaaoatet teageaagga 841 gatgitcaag aacaccatgg ccotcatgga cctggatgtg aagaagatgc coctgggaaa 901 gctgagcaag caacagattg cacggggttt cgaggccttg gaggcgotgg aggaggccct 961 gazaggecco acggatggtg gccaaagcet ggaggagetg tectoacaot titacaecgt 5 1021 catecegeae aactteggee acagecagee eecgeceate aatteceetg agettetgea 1081 ggccaagaag gacatgctgc tggtgctggc ggacategag ctggcccagg ccctgcaggc 1141 agtetetgag caggagaaga oggtggagga ggtgccacae cecetggace gagactacea 1201 getteteaag tgccagotgc agetgetaga otetggagca eetgagtaca aggtgataca 1261 gacetactia gaacagactg geageaacea caggtgeeet acactteaac acatetggaa 10 1321 agtaaaccaa gaaggggagg aagacagatt ccaggcccac tccanactgg gtaateggaa 1381 getgetgtgg catggcacca acatggoogt ggtggccgcc atcetcacta gtgggotccg 1441 catcatgcca cattetggtg ggegtgttgg oaagggeate taetttgeet cagagaacag 1501 caagtcaget ggatatgtta ttggcatgaa gtgtggggcc caccatgtcg gctacatgtt 1561 cetgggtgag gtggccetgg gcagagagca ceatateaac acggacaacc ceagettgaa 15 1621 gagoccaect octggetteg acagtgteat tgecegagge cacacegage etgateegae 1681 coaggacact gagitggage tggatggcca geaagtggtg gtgccccagg gccagcetgt 1741 gecotgecca gagtteagea getecacatt eteocagage gagtacetea tetaceagga 1801 gagecagtgt egeetgeget acctgetgga ggtecacete tgagtgeeeg ceetgteece 1861 eggggteetg caaggetgga etgtgatett caatesteet geocatetet ggtacceeta 20 1921 tatcactect ttitttcaag aatacaatac gtigtigtta actatagtca ccatgctgta 1981 caagateeet gaacttatgo etectaactg aaattttgta tietttgaca catetgeeea 2041 gtocctetce teccagecca tggtasccag catttgacte tttacttgta taagggeage 2101 tittataggt tocacatgta agtgagatca tgcagtgttt gtettletgt geetggetta 2161 tttoactoag cataatgtgc accgggttca ccoatgtttt cataaatgac aagatttcot 25 

### 30 Figure 8

						otcatcacca	ccatcatcaa .	Carcagacoc
	•	1 (	cgsagatggc	ggcgtcgcgt aggggcttca	earicancede.	cacoacetea	tcocccacto	agccctggoo
		61.	agc¢ögc¢cc	<b>ಪಡೆದೆದೆದೆದ್ದರ್ಗಳ</b>	9090094434		cctdaccccc	ffcGcccccn
		121	taacce2999	gaecaecee	90000	-b	acatedacco	datadacccc
:	35	1.81	cacageaegg -	00248.67	0055-33333		CACCAGGAGA	#FCEGERCES
•		241	astcccc593a	500000 rodac	3300	stacktesta	tocoactagg	afcaccaca
		301	£646644686	EG007 - 77 - 7	2-2-2-	کر داری کے ماریخی موسولان	htmtt66669	SCEECETOCE
		.ae.	#CCC#GCCAA	eageggeas.		***FFFFFFFFFF	-625CCCC\$\$9-	- acaaccanna
		421	Catcttcctc	CCCACCCCCC	Q1133D-		+000202099	dfaccsacsa
	40	481	ttatcagcac	#ACHOCHOLA	222200-	**********	raggaacata	toccalares
		541	taagcggggc	CCESCIONAGER	203003355		aaccaacc99	aagtettete
		601	agaggeeggt	abscace -	Court Daniel		**************************************	CCSCRGGCAR
		661	ceatgeactt	caccacasac	00+3332-		acetcataat	geetgeene
		721	-tactestgt	acscarrea.	90030000		, acctdatcca	swedcosana
	45	781	ttagccetgc		450		aecomacato	gatgtgtgta
		941	ataactugaa	f degracator	4-3		. asátastago	( SSECCEDICAL
		901	ttatactgct	: gcagcaugg	. 5005		- Foastacae	* BEEGSCAME
		961	Lagaçer999	agacccccc			r montttacto	3 Streeteras
		ובלמו	_toct@gaagu	2 580543848	, ppenaran		r tttacatet	r goraceanac
	50	1087	. atotgaatt	a ccaracaras.	, 9		a racteateti	F Caracaca
	<del>* -</del>	1141	L acaacagag	f fcdwarwa.			a ropacatta	t gaagtcavey
		1201	L acaaaggtg	a secediace			e Fatetoaca	d ffractccan
		1263	l aactgctac	C SERVATOR	4 50005	a sametetect	e tttottact	f agccargg-y
		132	l racacasaa	c tgcttccaa	g aaccgrata	a paratracto	n ggatatggç	t ccaactcegg
	- 55	138	L ctgatccta	c gttagtcaa	c raccarate	a museuser	,- 55 55	t ccaactccgg
	- <del></del>							

	1441	agóttaggga	gagattqact	tatqaattta	aagotoatto	tttactacas	ggaggaaaa
	1501	aagcagactt	agotagaett	aasaaaacac	togetotoge	Batcattaat	ttcaascaac
	1561	cgcagtctca	tgaaacagca	ctocactoto	ctotogoatc	tetacatace	SERCOPHANO
	1621	aagtgacaga	attottactt	acaaaaccac	cassiottes	toasaasst	esacstttcs
<b>′</b> 5	1681	tgactcccct	goatottaca	COCCABBGAC	docatestes	totcatonas	nttotocata
	1741	agcatggcga	caagatgaat	acactagaga	anataataa	pactocttto	catadageed
	1801	ccctagcagg	CCACCLOCAG	acataceace	tcetactana	thacocret	dacecepteda
	1861	tcatctoct	acaaggette	BCBCCAGCRC	adatoodcaa	toasgrapto	Caccedotto
	1921	tgagtgtgag	ttagggetet	GROCCCCCC	testateett	acasocottc	adaccadesco.
10	1981	agacgggcaa	tanagenata	cageagathe	toantontos	ttcateasts	drastastta
	2041	tactrcagoo	ttaatootoa	tetteagare	coasosttta	CESSTASSEC	tetecencet
	2101	gtottcactg	tosacatosa	pagtagaget	atacotacta	ctostostos	ttatcoacto
	2161	ttagaggcat	ctasacctor	agant toosa	actorossor	Aschttadsa	Changacto
	2221	gtgaattgta	gaoacttaga	agaccagast	trasconoct	tacecugoes	277277772
15	2281	aacagagtac	acceatacet	adtrotosta	trestrates	actetteese	ココンナンナッカック
	2341	ctggagactt	ggaaaotgtg	aaggaagtet	COBCCECTCB	applotosst	totarceasas
	2401	tagagggcog	gcattgcacg	cocttacect	tracagraga	ctacagraga	ederated and the
	2461	tagagtacot	actacaecae	datevensta	treatures	+COCOCCCOSC.	arat tacted
	2521	cccttcatea	Egecrottes	tatopacect	atcacquenta	#434C44799C	ggereggege
20	2581	gggcttotgt	caatotooca	dacttat.ca	2244724254	totocatora	acaragerra
	2641	aaggaaagta	tossatctor	Bacctcc+++	tassanctor	offerer char	aced codece
•.	2701	adagagatgg	asatacacet	ttacatte	taaaaaaaaagg		actuatandt .
	2761	tactgasagg	agatgetget	ttotrocato	otoccatosa	CCCC FACALT	eccedates
	2821	agaagetetg	tacccasoso	Batakcaach	. ದದ್ಯಾದವರ್ಷವರ	2224624662	angrades.
25	2881	ctatgascot	ggcagcaggc	tataataano	tooasotaoo	tosatatett	rtaracerate
	2941	gagotgatgt	taatoccoso	Q8caspooto	attasttc	tettetest	CCCCCCPtctt
	3001	atgggcatgt	tgacataged	dotttattoa	taanatacaa	cadatatata	astorasee
	3061	ataagtgggo	ptttactcoo	ptccatosso	CACCCCAGA	20022200200	ancycataca
	3121	cectectect	agegeateget	\$08080CCC	ccatosadas	CCSGGSSGCG	catacocoto
30	3181	tggatctggc	ancaggtgag	catatoacac	cettactost	Agataggata	-000000000
	3241	cettacetae	ctottttaaa	octcagoca	chotactes	topotototo	Atchaccan
	3301	catccaccoc	atectacete	tcooctooca	gcapoataga	caacotcact	caccettea
	3361	dagagttggc	cotaggagga	occiccanto	CAGGGGARGG	COCOGCGGG	9C9G889GG9
	3421	адуавдувада	agttoctoot	cttoscatos	atátcarcea	arttctasaa	adrostagga
35	3481	ttgaacacct	tegggatate	tttgaaacag	ascagattac	actedatete	troochoata
	3541	toggtcatga	agagttgaaa	gasatacoca	tonatocata	taggeneen	cacaaattaa
	3501	. tcaaaggagt	agaaagaotd	ttaggtggag	28CARGGORG	castocttat	ttaactitta
	3661	actgtgttaa	tcagggaacg	attttacroe	atettagtee	agaagataaa	teenteete
	3721	cagtggaaga	agagatocaa	agractatto	GROSSCROSC	agatoctoct	8atantana
40	3761	. goatetteaa	cagatacast	atcattcasa	ttcassasct	totcascaso	aaat:toaooo
	3841	. ageggtrotg	ccaccgagag	Baddaaacut	ctoagragaa	tcaceacost	. Cacaatragr
	3903	. gcatgttgtt	teatgettet	cotttoatta	ateccattat	tcataaacoo	titostosoc
	3961	. gacatgcata	cataggagga	atatttagge	cogggattta	ttttactona	aaccctcaa
	4021	. aasgcaacca	atatgtttat	ggaattqgac	GEGGERCECO	ctocctaca	¢acaaccaca
45	4083	. ggtcatgcta	tatatqtoac	agacasatgo	tottetatae	agtgascott	CODABALCOL
	4141	teetgeagtt	tagcaccate	Baaatgacce	acacacchac	aggggaedac	teapteatte
	4207	. gtagaccgag	cgtcaatggg	ctaggatate	ctgaatatgt	catctacada	ggagaacagg
	4261	. cataçocaga	. gtatettate	: acttaccaga	. tcatgaaggo	agaagecet	teccadacca
	4321	cascageoge	agageagaac	acctagtoas	tacctactac	tgaaggggag	atcagatito
50	4383	. aacotgggac	tggattadad	aggattqtt	ctaateacas	catcaatatt	ctagaagtco
	. 4443	ctgacagodt	agaaataag	tgtttgtctt	ctatagaca	ttootataot	Gr.
			· · · · · · · · · · · · · · · · · · ·			-2	

### Figure 9

1 cgcgccgcct cgctagccga aacetgccca gccggtgccc ggccactgcg cacgogcggg
55 61 acgacgtcac gtgcgctccc ggggctggac ggagtggca ggagtgggcct tgccagcttc
121 cgccgccgcg tcgtttcagg acccggacgg eggattcgcg ctgcctccgc cgccgogggg
181 cagccggggg gcagggagcc cagcgaggg ogcgogtggg ogcggccatg ggactgogcc
241 ggatccggtg acagcagga gccaagcggc ccgggccctg agcgcgtctt ctccgggggg
301 cctcgccctc ctgctcgcgg ggccggggt cctgctccgg ttgctggogc tgttgctggc
361 tgtggcggc gccaggatca tgtcgggtcg ccgctgcgc ggcggggag cggcctgcgc
421 gagcgccgcg gccgaggccg tggagcoggc ogccogagag ctgttcgagg cgtgccgcaa
481 oggggacgtg gaacgagtca agaggctggt gargcctgag aaggtgaaca gccgcgacac

501 tgaatatttg citcagaatg gigcaa 661 tetteataat geatgetett tiggton	tigoacti cgccgcaggi titigggcgga aagacgtag aatgi ocaagoacgi gatgatgggg gocttaticc igo igaagiagic aatcicciti igcgacaigg
661 tetteataat geatgetett tiggtoa	tgo tgaagtagto aatotootti tgogacatgg
721 tgcagaccoc aatgctogag ataa	itggaa ttatacteet etecatgaag etgeaattaa
5 781 aggaangatt gatgtttgca ttgtgc	ctgit acagcatgga gctgagccaa ccatccgaaa
841 tacagatgga aggacagcat tgga	attiage agatecatet gecagageag tgottaetge
901 tgaatataag aaagatgaac tetta	gaaag teccaggagt gecaatgaag aaaaaatgat
and ageroracie acaccarras argre	aactg ccacgcaagt gatggcagaa agtcaactcc
1021 attacettig geageaggat ataa	cagagt assgattgta cagetgttac tgcascatgg
10 1081 agetgatgte catgetaaag ataa	aggiga totggtacca tiacacaatg cotgitetta
1141 tggteattat gaagtaactg aactt	ttggt caagcatggt gootgtgtaa atgcaatgga
1201 cttgtggeaa ttcactcctc ttcatg	sagge agottetang ancagggttg angtatgtte
1261 tottetetta agttatggtg cagaco	cosso actgeteaat tgteacaata aaagtgetat
1321 agacttgget eccacaccac agt	taasaga asgattagos tatgaattta aaggocacto
15 1381 gitgetgeaa getgeacgag aag	otgatgi taotogaato aanaaacato totototgga
1441 aatggtgaat ttcaagcato ctca	ascaca tgazacagea ttgcattgtg etgetgeate
1501 tocatatore anaagaaage ann	tatgiga acigitgota agaasaggag caaacatcaa
1561 tgaaaagact aaagaattot tgac	tectet geacgtggea tetgagaaag eteataatga
1621 tgitettgaa gtagteetea aaca	tgange anaggitaat getetggata atettggien
20 1681 gactteteta cacagagetg cata	ttgigg teatclacaa acetgeegee tacteetgag
1741 ctatgggtet gatectaaca trata	tccot tcagggetit actgetttac agatgggaaa
1801 tgaaastgta cagcaactcc tees	lagaggg tatctcatta ggtaattcag aggcagacag
1861 acaattgotg gaagetgeaa age	ctggaga tetogaaact gtaaaaaaac tetetaotet
1921 teagagteto aaotecagae aca	ttgaagg gegteagtet acaccactic attitgeage
25 1981 tgggtataac agagtgtccg tgg	tggaata totgctacag catggagctg atgtgcatgc
2041 tanagataaa ggangcotte tac	cttigca caatgeatgi tettatggac attatgaagt
2101 tgcagaactt citettaaac ateg	agcagt agitaatgta gctgatitat ggaaatitac
2161 acctttacat gaagcagcag caa	aaggaaa atatgaaatt tgcaaacttc tgctccagca
2221 tegtgcagac cotacanasa ass	lacaggga tggaaatact cctttggate ttgttaaaga
30 2281 tggagataca gatattcaag atct	gettag gggagatgea geittgetag atgetgeeaa
2341 gaaggettet ttagccagag tga	agaagti gicticicci gataatgtaa attgccgcga
2401 tacccaagec agacatteaa cac	ctitaca titagcagci ggitatasia attiagasgi
2461 tecagagiai tigitacaac aceg	agetga tgtgaatgee caagacaaag gaggaettat
2521 tootttacat aatgeageat ottac	gggca tgtagatgta gcagctctac taataaagta
35 2581 taatgoatgt gtcaatgcca cggs	acasate gectiticaes octificace asgeageces
* 0.0	citigit gciageccat ggagotgace egactettaa
2701 aaatcaggaa ggacaaacac ct	tagatti agtitcagca gatgatgtca gegetettet
2761 gacagcagcc atecocccat ctr	science ciotigitae aagectoaag tgeteaatgg
2821 tgtgagaago ccaggagoca ct	geagatge tetefettea ggtocateta geceateaag
40 2881 cettletgea gecageagte ttga	caacti atotgggagt tittcagaac tgicticagt
2941 agttagttea agtggaacag agg	stactro castitagas asasassass ticcassas
3001 agattttage ataacteaat toeta	aggaa tettggaett gageacetaa tggatatatt
3061 tgagagagaa cagatcactt tgg	atgtatt agttgagatg gggcacaagg agctgaagg:
3121 gattggaatc aatgcttatg gaca	taggca caaactaatt aaaggagtcg agagacttat
45 3181 ctccggacaa caaggictta acc	catatti aacitigaac acciciggia giggaacaat
3241 tettatagat etgteteetg atgate	aaga gittoagtot giggaggaag agaigcaaag
3301 tacagitoga gagcanaga at	ggaggica tgcaggigga ateticaaca gatacaatat
3361 totogagati cagaagatii otaa	caagaa aotatgggaa agatacacto accggagaaa
3421 aggaetttet gaagaaaace aca	accatec castesaaces atectatitc ateegicicc
50 3481 tittgigaat gcaattatcc acaaa	egett teatgaaage catecetaca tageteetat

•	3541 gtttggaget ggeattiatt ttgetgaaaa etetteeaaa ageaateaat atgtatatgg
	3601 aattggagga ggtaotgggt gtsoagtou omasgateltto ctgcagtica gtgcaatgaa
	3601 sattggagga ggtaorgggt gteoagttet omangatung et gegantgan 3661 goagotgote tittgeoggg taacettggg aaagteitte etgeagtten gtgenatgan 3661 goagotgote tittgeoggg taacettggg aggegeagtg taaarggeet
5	3721 astegescar telectoras substitutas agrandaget tateetgagt attiastrac 3781 ageattaget gaztatetta titacagage agaacagget tateetgagt attiastrac 3781 ageattaget gaztatetta titacagage agaacagget tateetgagt attiastract
	THE STATE OF THE S
	A A A A A A A A A A A A A A A A A A A
10	
	A THE STATE OF THE
	ARRY ALLER SECTION OF THE TRANSPORT SECRETARIES FOR THE SECRETARIES OF
15	· · · · · · · · · · · · · · · · · · ·
20	
	The same state of a company of the same state of a company of the same state of the
	AND THE TAXABLE PARTICULAR CONTROL CON
25	THE PART OF THE PA
	- a a b b b - b - b - c - c c c c c c c c c c
<del></del> .	AAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
30	AND AND THE PROPERTY OF T
	· · · · · · · · · · · · · · · · · · ·
	n
·	
35	
	5641 atatgaatti ticagattat citagettee agettee agetattac toaccetatg 5701 tiaatggggt tiatattiac attatetee aactatgtag occatattac toaccetatg
	5701 thatiggest that that attached the transfer of the state of the st
	5761 agtgaatotg gaattgott toatgagaan versagagtgt gttttfccat gaatgaatat 5821 aaactgtgtt attttateta aaccattget taatgagtgt gttttfccat gaatgaatat
40	5821 accepted attracts according to the second seco
	6001 atgggaatge tittletti gringggat militia gaagteetat eaaatteeat
	6001 atgggaatge tittettit gittigggat tittettu gangsam 6061 gtgecagtag tactaitata cecatettea gtgtettaet tgtactgtat eaaatteeat 6121 acceteatti aattettaat aaaactgtie acttgtaaaa aaaaaaaaaaa aaaaaaaaaa
	6121 accetcattt aattettaat maanetstee avesteen a
45	6181 aaanaaaaa

Figure 10

1 ogoccecca geoccegege cagegaaage ctaaattaog gaattacege gageaaggag

(

## 12/13

61 ogoggaatog gggagogtoc ggagotagot ggatoctota ggcaggatgg tgatgggaat 121 ctttgcaaat tgtatettet gtttgaaagt gaagtaetta ceteageage адаадааааа 181 getacaaact gacattaagg aaaatggegg aaagttitee tittegitaa atecteagtg 241 cacacatata atcitagata atgotgatgi totgagtoag taccaactga attotateca 301 aaagaaccae gitcatattg caaacccaga tittatatgg aaatctatea gagaaaagag 5 361 actottggat gtaaagaatt atgateetta taageeeetg gacateacac caceteetga 421 tcagaaggeg ageagtictg aagtgaaaac agaaggteta tgeeeggaca gtgecacaga 481 ggaggaagac actgtggaac tcactgagtt tggtatgcag aatgttgaaa ttcctcatct 541 tecteaagat titgaagtig caaaatataa cacetiggag aaagtgggaa tggagggagg 601 ccaggaaget gtggtggtgg agetteagtg ttegegggae teeagggaet gteettteet 10 661 gatatorica cacttorice tggatgatgg catggagact agaagacagt ttgotataaa 721 gazancetet gaagatgeaa gtgaataett tgaanattae attgaagaac tganganaca 781 aggattteta etaagagaae attteaeace tgaageaace caattageat etgaacaatt 841 goaagcattg ettttggagg aagteatgaa ttoaagcaet etgagecaag aggtgagega 901 titagtagag atgatttggg oagaggcoot gggccacotg gaacacatgc tictcaagco 15 961 agtgaacagg attagectea acgatgtgag caaggcagag gggattetee ttetagtaaa 1021 ggcagcactg aasaatggag aascagcaga goasttgcaa aagatgatga cagagtitta 1081 cagacigata cotcacaaag goacaatgoo caaagaagig aaccigggac tatiggoiaa 1141 gazagcagac ctctgccagc taataagaga catggttaat gtctgtgaza ctaattigtc 1201 caaacccaac ccaccatccc tggccaaata ccgagctttg aggtgcaaaa ttgagcatgt 20 1261 tgaacagaat actgaagaat ttctcagggt tagaaaagag gtittgcaga atcatcacag 1321 taagagocca gtggatgtet tgeagatatt tagagttgge agagtgaatg aaaccacaga 1381 gtttttgage aaacitggta atgtgaggee ettgttgeat ggtteteetg tacaaaacat 1441 cgtgggaate ttgtgtcgag ggttgctttt acccasagta gtggaagate gtggtgtgca 1501 aagaacagac gtcggaaacc ttggaagtgg gatttattic agtgattogc toagtacaag 25<sup>,</sup> 1561 tatozagtac tczcaccogg gagagacaga tggcaccaga otcetgetca tttgtgacgt 1621 agocotogga aagtgtatgg acttacatga ganggacttt cocttaactg aagcaccaoc 1681 aggotacgae agtgtgeatg gagttteaca aacagcetet gteaceacag actttgagga 1741 tgatgaattt gitgictata aaaccaatca ggitaasatg asatatatta ttaaattitc 1801 catgcctgga gatcagataa aggactttca tectagtgat catactgaat tagaggaata 30 1861 cagacetgag titteaaatt titeaaaggi tgaagattae cagitaceag atgecaaaac 1921 ttocagcage accaaggeeg geetecagga tgeetetggg aacttggtte etetggagga 1981 tgtccacate asagggagaa teatagacae tgtageceag gteattgttt ticagacata 2041 cacaaataaa agtcacgtgc coattgaggo aaaatatate tttectitgg atgacaagge 2101 egetgtgtgt ggettegaag eetteateaa tgggaageae atagttggag agattaaaga 35 2161 gaaggaagaa gcccagcaag agtacctaga agccgtgacc cagggccatg gcgcttacct 2221 gatgagteag gatgeteegg acgtttttae tgtaagtgtt ggaaacttae cecetaagge 2281 taaggttott ataassatts cotacatose agaacteage steetggges etgttggtgt 2341 ctititeatg eccgecaccg tagcaccetg gcaacaggac aaggettiga atgaaaacct 2401 teaggataca gtagagaaga tiigtatasa agaaatagga acaaageaaa gettetetit 40 2461 gactatgtet attgagatge egtatgtgat tgaatteatt tteagtgata cacatgaact 2521 gazacaaaag cgcacagact gcaaagctgt cattageacc atggaaggca gctccttaga 2581 cagcagtgga titrotetec acateggitt gtetgetgee tateteccaa gaatgtgggt 2641 tgaaaaacat ccagaaaaag aaagegagge ttgcatgett gtettteaac ccgatotega 2701 tgtegacote cetgacetag ceagtgagag egaagtgatt atttgtettg aetgeteeag 45 2761 ttocatggag ggtgtgacat tettgcaage caagoaaate aocttgeatg cgetgteett 2821 ggtgggtgag aagcagaaag taaatattat ccagttcggc acaggttaca aggagctatt 2881 ttegtatect aagcatatea caagcaatae caeggeagea gagtteatea tgtetgeeac 2941 acctaccatg gggaacacag acttetggaa aacacteega tatettaget tattgtacce 3001 tgotegaggg teaoggaaca teeteetggt gtetgatggg caceteeagg atgagageet 50

	3061	gacattacag ctogtgaaga ggagccgccc gcacaccagg ttattegcct gcggtategg
	3121	ttctacagca aatcgtcacg tcttaaggat tttgtoccag tgtggtgccg gagtatttga
	3181	atattitaat goaasatoca agcatagitg gagaaascag atagasgacc asatgacosg
	3241	getatgitet cegagitgee actetgiete egicaaatgg cageaactea atecagatge
5	3301	georgaggee cigeaggeee pageocaggi greatectig ittegeasig ategactect
	3361	tgtctatgga ttcattcotc actgcacaca agcaactctg tgtgcactaa ttcaagagaa
•	3421	agaattttgt acaatggtgt cgactactga gcttcagaag acaactggaa ctatgatcca
	3481	caagetggca geeegagete taateagaga ttatgaagat ggeattette acgaaaatga
	3541	aaccagtcat gagatgaaaa aacaaacctt gaaatctctg attattaaac tcagtaaaga
10	3601	aaactotete ataacacaat ttacaagett tgiggeagtt gagaaaaggg atgagaatga
	3661	gtcgccttit cctgatattc caaaagttic tgaacttatt gccaaagaag atgtagactt
	3721	cctgccotae atgagetgge agggggagee ccaagaagee gteaggaace agtetetttt
	3781	agostociot gagtggccag aattacgtit atccasacga saacatagga saattocatt
	3841	ticcananga anantggnat tateteagee ngangttiet gangatitte angangateg
15	3901	citaggigia ciaccagcit icacatcaaa itiggaacgi ggaggigigg aaaagciati
	3961	ggatttaagt tggacagagt catgtaaacc aacagcaact gaaccactat ttaaccaagt
	4021	cagiccatgg gasacateta citetagett titteetatt tiggetoegg cegtiggite
	4081	ctatettace ecgaetacee gegeteacag teetgettee ttgtettttg coteatateg
	4141	traggiaget agitteggit cagetgetee teccagacag titgatgeat etogatteag
20	4201	ccaaggccct gtgcctggca cttgtgctga ctggatecca cagteggcgt cttgteccae
	4261	. aggacetoce oagaacecae ettetgeace etattgtgge attgttittt eagggagete
	4321	attaagetet geacagiotg etceaetgea acateetgga ggetttaeta eeaggeette
	4381	tgetggeace ticoetgage tggattetee ceagetteat ttetetette etacagacee
•	4441	tgateceate agaggittig ggicitatea tecetetget tacteteett tieatittea
25	4501	acctteegea geetettiga etgecaacot taggetgeea atggeetetg etitacetga
-	4561	ggetettige agicagtece ggaetacece agiagatete tgictietag aagaateagi
	4621	aggeagtete gaaggaagte gatgteetgt etttgetttt caaagttetg acacagaaag
	468	tgatgagota toagaagtac ttcaagacag ctgcttttta caaataaagt gtgatacaaa
	4741	agatgacagt atcccgtgct ttotggaatt aaaagaagag gatgaaatag tgtgcacaca
30	4801	acactggcag gatgctgtgc cttggacaga actootcagt ctacagacag aggatggctt
	480	ctggaaactt acaccagaac tgggactiat attaaatott aatacaaatg gtitgcacag
	492)	cittottaaa caaaaaggca ttcaatctot aggtgtaaaa ggaagagaat gtctoctgga
	4981	cctaattgcc acaatgctgg tactacagtt tattegcacc aggitggaaa aagagggaat
as	5101	agtgttcasa teactgatga asatggatga cecttetatt tecaggasta ttecetggge
35	2101	ttitgaggca ataaagcaag oaagtgaatg ggtaagaaga actgaaggac agtaccoatc
	2),01	tatotgecca eggettgaae tggggaaega etgggaetet geeaceaage agttgetggg
_	222) 5001	acteoagece ataageaotg tgteocetet teatagagte etecattaea gteaaggeta
•	- 326) - 5271	agtonantga nactganitt teancttitt gentgettet atgunganna tantonantg
40	5404)	ataatagata attataatga aacttcatta aggittcatt cagtgtagca attactgtct
40	240)	ttuaanatta agtggaagaa gaattacttt aatcaactaa caagcaataa taaantgaaa
	740	CITRERNIGE EDGEGEGEGE CONTRACT

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

### **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

D	efects in the images include but are not limited to the items checked:
	BLACK BORDERS
	☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
	☐ FADED TEXT OR DRAWING
	☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
	☐ SKEWED/SLANTED IMAGES
	COLOR OR BLACK AND WHITE PHOTOGRAPHS
	GRAY SCALE DOCUMENTS
	☐ LINES OR MARKS ON ORIGINAL DOCUMENT
	☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
	OTHER:

### IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image Problems checked, please do not report these problems to the IFW Image Problem Mailbox.